GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – PR & RD Dept – Allegations of irregularities in execution of CC roads and drains taken up under MGNREGS programme for the Financial Year 2012-13 in PRI Division, Palakonda, Srikakulam District – Charges against Sri G. Satyanarayana, former Assistant Engineer, PR Sub-Division, Pathapatnam, Srikakulam District (now Retired) – Not proved in the regular inquiry - Further action dropped – Orders – Issued.

- -

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 314 **Dated: 11-06-2021.**

Read the following:

1. From the DG, GA (V&E) Department, Vigilnace Report No. 10 (C.NO. 481-2/V&E/E2/2013), dt: 13.01.2015.
2. G.O.Rt.No.1169, PR&RD (Vig.I) Department, Dt:22.12.2015.
3. From ENC, PR, AP, Vijayawada, Lr.No.Vig. I (1)/1430/2015, Dated: 10.06.2016.
4. G.O.Rt.No.754, PR&RD (Vig. I) Department, Dt: 15.06.2018.
5. From the Superintending Engineer, PR, Srikakulam and Inquiry Officer, Letter Rc. NO.. 152/2016/A1, dt: 17.08.2019.
6. Govt. Memo No. 2135/Vig. I/2015, PR&RD (Vigt. I) Dept., Dt: 02.08.2020.
7. From the ENC,PR, Letter No. Vig. I(1)/30395/2008, dated: 26.11.2020.

****

ORDER:-

Based on the recommendations of the Director General, Vigilance & Enforcement Department made in the reference 1st read above, on the allegations of irregularities in execution of CC roads and drains taken in PRI Division, Palakonda, Srikakulam District under MGNREGS programme for the Financial Year 2012-13, in the reference 2nd read above, Government, have initiated disciplinary proceedings duly framing following article of charge under Rule 20 of the A.P.C.S (CC&A) Rules, 1991 against Sri G. Satyanarayana, Assistant Engineer, PR, Pathapatnam with a direction to submit his written statement of defence :

Charge:

That Sri G. Satyanarayana, during his tenure as Assistant Engineer, PR Sub-Division, Pathapatnam, Srikakulam District, executed providing internal roads with CC drains in SC, ST Colonies 2012-13 in Laxmpuram (H) of Routupuram GP in Pathapatnam (M) and committed irregularities like substandard execution of CC M3- grade pavement causing loss to Government exchequer. Hence the charge.

P.T.O.,

2. In the reference 3rd cited, the Engineer-in-Chief, Panchayat Raj has forwarded the written statement of defence of the charged officer Sri G. Satyanarayana, Assistant Engineer (PR).

3. Government, having not satisfied with the written statement of defence submitted by the above Charged Officer, have decided to conduct regular inquiry into the matter. Accordingly, in the reference 4th read above, Government have appointed the Superintending Engineer, PR, Srikakulam District as the Inquiry Authority to conduct inquiry into the charges framed against the charged officer Sri G. Satyanarayana, Assistant Engineer (PR) and also against the other eight (8) co-charged officers involved in the case.

4. In the reference 5th read above, the Superintending Engineer, PR, Srikakulam District & Inquiry Officer has furnished inquiry report dt: 17.08.2019 along with his findings on each charged officer. In his findings, the Inquiring Authority, among others, has held that charge is not proved against the charged officer Sri G. Satyanarayana, Assistant Engineer / former Mandal Engineering Officer, M.P, Pathapatnam (now Retired).

5. In the reference 6th read above, Government, among others, have communicated the copy of the Inquiry report to the charged officer Sri G. Satyanarayana, Assistant Engineer, PR (Retired) for submitting his representation, if any on the findings of the Inquiry Authority.

6. In the reference 7th read above, the Engineer-in—Chief, PR, A.P, Vijayawada has furnished acknowledgment copy dated 18.10.2020 regarding service of reference 6th cited on the charged officer Sri G. Satyanarayana, former Assistant Engineer / M.E.O, M.P, Pathapatnam and M.E.O., S.Kota (Retired).

7. Government, after careful examination of the matter have decided to drop further action against Sri G. Satyanarayana, Assistant Engineer / former Mandal Engineering Officer, M.P, Pathapatnam, Srikakulam District (now Retired), since the charge is not proved against him.

8. Accordingly, Government hereby drop further action against Sri G. Satyanarayana, Assistant Engineer / former Mandal Engineering Officer, M.P, Pathapatnam, Srikakulam District (now Retird), in the matter.

Contd.. at P.3.,

9. The Engineer-in-Chief, Panchayat Raj, Andhra Pradesh, Vijayawada, shall take further necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

GOPAL KRISHNA DWIVEDI
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri G. Satyanarayana, Assistant Engineer M.P, Pathapatnam, Srikakulam District and M.E.O., S.Kota (now Retired),
through the Engineer-in-Chief, Panchayat Raj, AP, Vijayawada.
The Engineer in Chief, Panchayat Raj, Andhra Pradesh, Vijayawada.
Copy to:-
The Secretary to VC, A.P. Vigilance Commission, Velagapudi.
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER